



US009201069B2

(12) **United States Patent**  
**Hatch et al.**

(10) **Patent No.:** **US 9,201,069 B2**  
(45) **Date of Patent:** **Dec. 1, 2015**

(54) **MICROFLUIDIC DEVICES AND METHODS INCLUDING POROUS POLYMER MONOLITHS**

(71) Applicant: **Sandia Corporation**, Albuquerque, NM (US)

(72) Inventors: **Anson V. Hatch**, Tracy, CA (US); **Gregory J. Sommer**, Livermore, CA (US); **Anup K. Singh**, Danville, CA (US); **Ying-Chih Wang**, Pleasanton, CA (US); **Vinay Abhyankar**, Keller, TX (US)

(73) Assignee: **Sandia Corporation**, Albuquerque, NM (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/189,949**

(22) Filed: **Feb. 25, 2014**

(65) **Prior Publication Data**

US 2014/0178252 A1 Jun. 26, 2014

**Related U.S. Application Data**

(62) Division of application No. 12/556,459, filed on Sep. 9, 2009, now Pat. No. 8,703,058.

(51) **Int. Cl.**

**G01N 33/545** (2006.01)  
**B01L 3/00** (2006.01)  
**B01J 20/26** (2006.01)  
**B01J 20/286** (2006.01)  
**B01J 20/32** (2006.01)  
**B01J 20/28** (2006.01)  
**B01D 15/08** (2006.01)

(52) **U.S. Cl.**

CPC ..... **G01N 33/545** (2013.01); **B01J 20/267**

(2013.01); **B01J 20/286** (2013.01); **B01J 20/28042** (2013.01); **B01J 20/28078** (2013.01); **B01J 20/3274** (2013.01); **B01L 3/5023** (2013.01); **B01L 3/502707** (2013.01); **B01D 15/08** (2013.01); **B01J 2220/49** (2013.01); **B01J 2220/86** (2013.01); **B01L 2200/16** (2013.01)

(58) **Field of Classification Search**

CPC . B01J 2220/86; B01J 20/282; B01J 20/28042  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,866,047 A 2/1999 Nagino et al.  
6,782,746 B1 8/2004 Hasselbrink, Jr. et al.  
6,846,399 B2 1/2005 Shepodd et al.

(Continued)

**OTHER PUBLICATIONS**

Cong Yu; Frantisek Svec; Jean M.J. Frechet; "Towards stationary phases for chromatography on a microchip: Molded porous polymer monoliths prepared in capillaries by photoinitiated in situ polymerization as separation media for electrochromatography", Electrophoresis 2000, 21, pp. 120-127.

(Continued)

*Primary Examiner* — Paul Hyun

(74) *Attorney, Agent, or Firm* — Helen S. Baca

(57)

**ABSTRACT**

Microfluidic devices and methods including porous polymer monoliths are described. Polymerization techniques may be used to generate porous polymer monoliths having pores defined by a liquid component of a fluid mixture. The fluid mixture may contain iniferters and the resulting porous polymer monolith may include surfaces terminated with iniferter species. Capture molecules may then be grafted to the monolith pores.

**20 Claims, 9 Drawing Sheets**

